## POOR LEGIBILITY

ONE OR MORE PAGES IN THIS DOCUMENT ARE DIFFICULT TO READ DUE TO THE QUALITY OF THE ORIGINAL

THE ME A PRINTING DIS MA, N. LA LA SECTION & A HEARTING 0.45 MI S.E. ANTELOOD CONTROL DETNI of Atlantic 8/44 # HYDROGRAFIUC DEPARTMENT Bandini Blid 1007 NETY of Bandini Bird produced). The first wooder takes Location and description Af S. W. carnet of reservoir Add at God surface hir gage, I aby. God. sale R. P. elev. above, below ground (d) dit (a) 1 (b) 1 Highelliams Rench J. S. Hilliam Une Irrigation 180 a and domastic Depth of well for 1501? (59 to (Army septemb to 650 Size of well 12" Type Drilled Power used Electric Type of motor, angine Ser. # 22685 Make G. L. HP 30 Type of pump Dack Well por 3331 Make Layne Bowle. Capacity of pump 525 dals | Min - 4-7-55 Eab

## LOG OF WELL NO. 1530

ross ground surface..... 

...ft. from ground.

70	CLASSIFICATION OF MATERIALS
9	50/
185	Llay
200	sand
215	clay .
7.227	gravel
359	Lay 1
370	1: \$ gravet
470	elau.
4,80	graval
1210	gravet
574	
600	n + qravel
	gratel
650	
100	
	<b>自身是自由自身的自己的主义是是自己的</b>
	<b>对</b> 是是在1000年的,但是1000年的一个年代,但1000年的
	CASE SE
1 About	e log capied from Well recard book
We/1	site (no drillers name, drillad date more) Es
	preferations indicated in sec.